



OUR PRODUCTS GROUPS;



CP BOX METAL



CP BOX PLASTIC



CP BOX POLYESTER



CP BOX STABILIZER



VENTILATION - ACCESORIES



**CP CABLING ALIMINIUM
PRODUCT**

ΠΕΡΙΕΧΟΜΕΝΑ

ΠΛΑΣΤΙΚΑ ΚΟΥΤΙΑ	3
ΦΡΕΑΤΙΑ ΘΕΡΜΟΠΛΑΣΤΙΚΑ	5
ΘΕΡΜΟΠΛΑΣΤΙΚΟΙ ΚΑΙ ΠΟΛΥΕΣΤΕΡΙΚΟΙ ΣΤΕΓΑΝΟΙ ΠΙΝΑΚΕΣ	6
ΘΕΡΜΟΠΛΑΣΤΙΚΟΙ ΠΙΝΑΚΕΣ	7
ΣΤΕΓΑΝΟΙ ΠΙΝΑΚΕΣ	8
ΧΩΝΕΥΤΟΙ ΠΙΝΑΚΕΣ ΔΙΑΝΟΜΗΣ	9
ΕΠΙΤΟΙΧΟΙ ΠΙΝΑΚΕΣ ΔΙΑΝΟΜΗΣ	11
ΕΞΑΡΤΗΜΑΤΑ	12
ΚΑΝΑΛΙΑ	13
ΣΩΛΗΝΑΣ ΣΠΙΡΑΛ	15

ΠΛΑΣΤΙΚΑ ΚΟΥΤΙΑ

- Ral 7035 Grey
- IK 10
- Made of ABS
- Op. Temp. : -25°C - 60°C
- Impact Resistant
- With Press-fit Cover
- Multiple Size Cable Sleeve
- Glow Wire Test 650°C



Junction Boxes – With press fit cover (ABS)

PHOTOS	CODE	DIMENSIONS
	CP1037	Φ85 X 45
	CP1038	80 X 80 X40



Junction Boxes - With stainless steel screw (ABS)

PHOTOS	CODE	DIMENSIONS
	CP1039	80 X 120 X 50
	CP1040	100 X 100 X 50
	CP1051	150 X 110 X 70



Junction Boxes - With plastic screw (ABS)

PHOTOS	CODE	DIMENSIONS
	CP1052	190 X 145 X 80
	CP1053	250 X 200 X 90
	CP1054	310 X 230 X 130
	COURBI	190 X 145 X 80



Junction Boxes - With stainless steel screw (ABS)

PHOTOS	CODE	DIMENSIONS
	CP1030	100 X 100 X 50
	CP1041	150 X 110 X 70



Junction Boxes - With plastic screw

PHOTOS	CODE	DIMENSIONS
	CP1042	190 X 145 X 80
	CP1043	250 X 200 X 90
	CP1044	310 X 230 X 130
	CP1045	400 X 300 X 130



Junction Boxes - With stainless steel screw (ABS)

PHOTOS	CODE	DIMENSIONS
	CP1059	80 X 120 X 120
	CP1061	150 X 110 X 140



Junction Boxes - With plastic screw

PHOTOS	CODE	DIMENSIONS
	CP1062	190 X 145 X 140
	CP1063	250 X 200 X 160
	CP1064	310 X 230 X 180



Transparent - With Plastic Screws (ABS)

PHOTOS	CODE	DIMENSIONS
	CP1141	150 X 110 X 70
	CP1142	190 X 145 X 80
	CP1143	250 X 200 X 90
	CP1144	310 X 230 X 130
	CP1145	400 X 300 X 130

Mounting Plate

PHOTOS	CODE	DIMENSIONS
	CP2042	190 X 145
	CP2043	250 X 200
	CP2044	310 X 230
	CP2045	400 X 300



Mounting housing - (Module)

PHOTOS	CODE	DIMENSIONS	MODULES
	CSU1012	50 X 140 X 60	2M
	CSU1034	80 X 140 X 60	4M
	CSU1035	120 X 140 X 60	8M

ΦΡΕΑΤΙΑ ΘΕΡΜΟΠΛΑΣΤΙΚΑ

Υψηλής Αντίστασης Κάλυμμα (4 εξόδων)

PHOTOS	CODE	DIMENSIONS
	CP202020	200 X 200 X 200
	59701 (GEWISS)	300 X 300 X 300

ΘΕΡΜΟΠΛΑΣΤΙΚΟΙ ΣΤΕΓΑΝΟΙ ΠΙΝΑΚΕΣ

- Ral 7035 Grey
- Halogen Free
- Glow Wire Test 650°C
- Op. Temp. : -25°C - 60°C
- ABS-PC Material
- IK 10
- Triangle Lock-Key
- PUR Material for High Quality sealing



Distribution Boards

PHOTOS	CODE	DIMENSIONS	DIN MODULES	DOOR TYPE
	CP5102	250 X 330 X 130	18M (2X9)	BLANK
	CP5103	300 X 400 X 165	24M (2X12)	BLANK
	CP5104	400 X 500 X 175	51M (3X17)	BLANK
	CP5105	400 X 600 X 200	68M (4X17)	BLANK
	CP5113	300 X 400 X 165	24M(2x12)	TRANSPARENT
	CP5114	400 X 500 X 175	51M(3x17)	TRANSPARENT

ΠΟΛΥΕΣΤΕΡΙΚΟΙ ΣΤΕΓΑΝΟΙ ΠΙΝΑΚΕΣ



Metal Enclosures

PHOTOS	CODE	DIMENSIONS
	CP504	300 X 400 X 180
	CP505	400 X 500 X 190

ΘΕΡΜΟΠΛΑΣΤΙΚΟΙ ΠΙΝΑΚΕΣ

Watertight Boards in Thermoplastic Material for Protection Devices for Residential, Commercial and Industrial Areas:

-Ral 7035 Grey
-ABS Material
-Halogen Free

-IK 10 – GWT 650°C
-Triangle Lock-Key
-PUR Material for High Quality Sealing

-Galvanized Mounting Plate
-Included Wall Fixing Bracket
-Op. Temp. -25 to 60°C



CODE	DIMENSIONS	NO. LOCKS	DOOR TYPE
CP5003	300 X 400 X 165	1	BLANK
CP5003D	300 X 400 X 195	2	
CP5004D	400 X 500 X 240	2	
CP5005	400 X 600 X 200	2	



Mounting Accessory



Pur material

Reversible Door
Direction

Adjustable Mounting
Plate (3 steps)

ΣΤΕΓΑΝΟΙ ΠΙΝΑΚΕΣ

Usage for outdoor applications and high ultraviolet resistance

-Ral 9011 Beige
-Made of ASA⁽¹⁾
-Resistant to UV
-IK 10
-Triple lock system
-PUR Material for High Quality Sealing

-Galvanized Mounting Plate
-No color change for 10+ years
-Op. Temp. -25 to 80°C



(1) ASA: Acrylonitrile Styrene Acrylate



Vatertight ASA Boards



CODE	DIMENSIONS	TRIPLE LOCK SYSTEM	NO. LOCKS	DOOR TYPE
CPA5003	300 X 400 X 165	-	2	BLANK
CPA5004	400 X 500 X 175	-	2	
CPA5005	400 X 600 X 200	-	2	
CPA5006	500 X 700 X 245	-	2	
CPA5009	600 X 800 X 260	✓	1	
CP5023	750 X 1000 X 300	✓	1	

Complementary Items for CP 5023

CODE	DESCRIPTION
CP5023R	Roof for CP5023
CP5023B	Base for CP5023
CP5023W	Wall Fixing Bracket set



ΧΩΝΕΥΤΟΙ ΠΙΝΑΚΕΣ ΔΙΑΝΟΜΗΣ

- From 8 to 90 Modules
- Ergonomic Opening/Closing System
- Precise Design with blank or smoked door
- Hinged door which opens more than 180°
- Ready to install the terminal blocks for neutral and earth connection
- Op. Temp. -25 to 60°C



Smoked Transparent Door

CODE	DIN MODULES
CP10908	8
CP10912	12
CP10918	18
CP10924	24 (12x2)
CP10936-1	36 (18X2)

Complementary Items

CODE	DIN MODULES
CP12011	Terminal Blocks – 12m X 2 (N + PE)
CP12012	Terminal Blocks – 19M X 2 (N + PE)



- From 8 to 72 Modules
- Ergonomic Opening/Closing System
- Precise Design with blank or smoked door
- Hinged door which opens more than 180°
- Ready to install the terminal blocks for neutral and earth connection
- Op. Temp. -25 to 60°C



Toner Black - Smoked Transparent

CODE	DIN MODULES
CP10924 B	24 (12X2)
CP10936-1 B	36 (18X2)



ΕΠΙΤΟΙΧΟΙ ΠΙΝΑΚΕΣ ΔΙΑΝΟΜΗΣ

- Ral 91682 soft white
- Impact Resistant
- Degree of Protection IP 40
- Choice for Blank Door
- Resistant to Chemical and weathering agents

- Manufactured in polycarbonate raw material
- Including terminal block
- Hinged door which opens more than 90°
- Smoked Transparent Door



CPBenefit Series (ΟΙΚΟΝΟΜΙΚΗ ΣΕΙΡΑ)



Smoked Transparent Door

	CODE	DIN MODULES
	CP11908	8
	CP11912	12
	CP11924	24

- From 8 to 72 Modules
- Ergonomic Opening/Closing System
- Precise Design with blank or smoked door

- Hinged door which opens more than 180°
- Ready to install the terminal blocks for neutral and earth connection
- Op. Temp. -25 to 60°C



Smoked Transparent Door

	CODE	DIN MODULES
	CP30908	8
	CP30912	12
	CP30924	24 (12X2)

Complementary Items

	CODE	DIN MODULES
	CP12011	Terminal Blocks – 12m X 2 (N + PE)
	CP12012	Terminal Blocks – 19m X 2 (N + PE)

ΕΞΑΡΤΗΜΑΤΑ

Din Rails

PHOTOS	CODE	DESCRIPTION
	CP4983	Galvanized Din Rail Perforated (35x7,5) 1m
	CP4984	Galvanized Din Rail Perforated (35x7,5) 2m
	CP4988	Galvanized Din Rail Perforated (35x15) 2m

Din Rail Support

PHOTOS	CODE	DESCRIPTION
	CP4991	Din Rail Support

Fan Thermostats

PHOTOS	CODE	DESCRIPTION
	V10 01M 001	1NO

Heater Thermostats

PHOTOS	CODE	DESCRIPTION
	V10 02K 001	1NC

Dual Thermostats

PHOTOS	CODE	DESCRIPTION
	V10 05M 001	1NO + 1NC


Hygrostats

PHOTOS	CODE	DESCRIPTION
	V10 03H 001	1CO

KANALIA

We have raised our quality on worldwide standards with UL Certificate which is one of the most reputable quality certificates in the world.

Advantageous, user-friendly and innovative, with proved quality on a worldwide scale. The CWD Wiring Ducts series is now ready to use safely in industry with  UL certification.



CODE	DIMENSIONS	
CWD2525-4	25 X 25	4mm
CWD2540-4	25 X 40	4mm
CWD2560-4	25 X 60	4mm
CWD2580-4	25 X 80	4mm
CWD4025-4	40 X 25	4mm
CWD4040-4	40 X 40	4mm
CWD4060-4	40 X 60	4mm
CWD4080-4	40 X 80	4mm
CWD6040-4	60 X 40	4mm
CWD6060-4	60 X 60	4mm
CWD6080-4	60 X 80	4mm
CWD8040-4	80 X 40	4mm
CWD8060-4	80 X 60	4mm
CWD8080-4	80 X 80	4mm
CWD1060-4	100 X 60	4mm
CWD1080-4	100 X 80	4mm
CWD1260-4	120 X 60	4mm
CWD1280-4	120 X 80	4mm

ΚΑΝΑΛΙΑ (ΛΕΥΚΑ)



CODE	DIMENSIONS	
NS-CWD4025G	40 X 25	4mm
NS-CWD4040G	40 X 40	4mm
NS-CWD6040G	60 X 40	4mm
NS-CWD6060G	60 X 60	4mm
NS-CWD8040G	80 X 40	4mm
NS-CWD8060G	80 X 60	4mm
NS-CWD1060G	100 X 60	4mm

ΣΩΛΗΝΑΣ ΣΠΙΡΑΛ

- Flexible spiral
- Made of polyvinyl chloride (P-PVC)
- Reinforced with a spiral made of polyvinyl chloride (U-PVC)
- Choices for different colours
- Suitable for light mechanical loads
- Self extinguishing, flame retardant
- Conform to European IEC standards EN 606170-1



CODE	DIAMETER	COLOR	PACK
CP30010	Ø10	GREY	30m
CP30012	Ø12		
CP30014	Ø14		
CP30016	Ø16		
CP30020	Ø20		
CP30022	Ø22		
CP30025	Ø25		
CP30032	Ø32		
CP30038	Ø38		
Optional Color: BLACK			
CP31016B	Ø16	BLACK	30m